

SAFETY DATA SHEET (according to Regulation (EC) No 1907/2006)

# MIKADO BLACK EDITION 125 ML - FOREST (CEDRO/ ABETO BLANCO)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:	FOREST (CEDRO/ ABETO BLANCO) MIKADO BLACK EDITION
Product Reference:	0800059
Unique Formula Identifier:	SDK0-60YX-200P-DNK0
1.2 Relevant identified uses of the s	ubstance or mixture and uses advised against:
Relevant identified uses of the substance or mixture:	Air care products.
Uses advised against:	Other uses than those recommended
Revision date:	22/08/2022
1.3 Details of the supplier of the saf	ety data sheet:
Manufacturer/Supplier:	HELENA LLEBARÍA, S.A.

HELENA LLEBARÍA, S.A. Pol. Ind. Can Mascaró, Nave 2 08756 - La Palma de Cervelló

Fax. +(34) 93 672 11 71

Phone Number. +(34) 93 672 02 21

Address:

e-mail:

helle@bolesdolor.com

1.4 Emergency telephone number: +(34) 93 672 02 21 (8:00-13:00 / 15:00-18:00)...

Spain

**SECTION 2: Hazards identification** 

2.1 Classification of the substance or mixture

**Classification in accordance with Regulation (EC) No 1272/2008** Long-term (chronic) aquatic hazard, category chronic 2; H411.

2.2 Label elements



Signal word: -

Hazard Statements:

H411: Toxic to aquatic life with long lasting effects.

Precautionary Statements:

If medical advice is needed, have product container or label at hand.
Keep out of reach of children.
Read label before use.
Collect spillage.
Dispose of contents/container in accordance with local regulations.

Contains pinene, 3,7,7-trimethylbicyclo[4.1.0]hept-3-ene, 2,4-dimethylcyclohex-3-ene-1-carbaldehyde, (R)-p-mentha-1,8-diene. May produce an allergic reaction.

2.3 Other hazards

Results of PBT and vPvB assessment

The product does not contain substances identified as PBT and/or vPvB in a concentration equal to or



SAFETY DATA SHEET (according to Regulation (EC) No 1907/2006)

# MIKADO BLACK EDITION 125 ML - FOREST (CEDRO/ ABETO BLANCO)

Environmental endocrine disrupting properties.

Human health endocrine disrupting properties.

greater than 0,1 % (w/w). The product does not contain substances identified as having environmental endocrine disrupting properties in a concentration equal to or greater than 0,1 %(w/w).

The product does not contain substances identified as having human health endocrine disrupting properties in a concentration equal to or greater than 0,1 % (w/w).

### SECTION 3: Composition/information on ingredients

3.2 Mixtures

Concentration range of the constituent (% weight/weight)	EC number / Registration number	CAS	Chemical name	Hazard Class and Category Code; Hazard statement codes
≥25% and <50%	252-104-2	34590-94-8	(2-methoxymethylethoxy)propanol	_ [2]
≥1% and <5%	203-305-9	105-53-3	diethyl malonate	Eye Irrit. 2;H319 [1]
≥0,1% and <1%	215-533-6	1330-16-1	pinene	Flam. Liq. 3;H226- Skin Irrit. 2;H315- Skin Sens. 1;H317- Asp. Tox. 1;H304- Aquatic Acute 1;H400- Aquatic Chronic 1;H410 <sup>[1]</sup>
≥0,1% and <1%	201-234-8	79-92-5	Camphene	Flam. Sol. 1;H228- Eye Irrit. 2;H319- Aquatic Acute 1;H400- Aquatic Chronic 1;H410 <sup>[1]</sup>
≥0,1% and <1%	214-946-9 01- 2119488227- 29	1222-05-5	1,3,4,6,7,8-hexahydro-4,6,6,7,8,8- hexamethylindeno[5,6-c]pyran	Aquatic Acute 1;H400- Aquatic Chronic 1;H410 <sup>[1]</sup>
≥0,1% and <1%	248-908-8 01- 2119529224- 45	28219-61-6	2-ethyl-4-(2,2,3-trimethyl-3- cyclopenten-1-yl)-2-buten-1-ol	Eye Irrit. 2;H319- Aquatic Chronic 2;H411 <sup>[1]</sup>
≥0,1% and <1%	236-719-3	13466-78-9	3,7,7-trimethylbicyclo[4.1.0]hept-3- ene	Flam. Liq. 3;H226- Skin Irrit. 2;H315- Skin Sens. 1B;H317- Asp. Tox. 1;H304 <sup>[1]</sup>
≥0,1% and <1%	268-264-1 01- 2119982384- 28	68039-49-6	2,4-dimethylcyclohex-3-ene-1- carbaldehyde	Skin Irrit. 2;H315- Eye Irrit. 2;H319- Skin Sens. 1B;H317- Aquatic Chronic 2;H411 <sup>[1]</sup>
≥0,1% and <1%	207-418-4	469-61-4	[3R-(3a,3aß,7ß,8aa)]-2,3,4,7,8,8a- hexahydro-3,6,8,8-tetramethyl-1H- 3a,7-methanoazulene	Asp. Tox. 1;H304- Aquatic Acute 1;H400;M=10- Aquatic Chronic 1;H410;M=10
≥0,1% and <1%	227-813-5 01- 2119529223- 47	5989-27-5	(R)-p-mentha-1,8-diene	Flam. Liq. 3;H226- Skin Irrit. 2;H315- Skin Sens. 1B;H317- Asp. Tox. 1;H304- Aquatic Acute 1;H400- Aquatic Chronic 3;H412 <sup>[1]</sup>
≥0,1% and <1%	201-035-6	77-53-2	Cedrol	Aquatic Chronic 2;H411 <sup>[1]</sup>



SAFETY DATA SHEET (according to Regulation (EC) No 1907/2006)

## MIKADO BLACK EDITION 125 ML - FOREST (CEDRO/ ABETO BLANCO)

Concentration range of the constituent (% weight/weight)	EC number / Registration number	CAS	Chemical name	Hazard Class and Category Code; Hazard statement codes
<0,1%	207-491-2	475-20-7	[1S-(1α,3aβ,4α,8aβ)]-decahydro- 4,8,8-trimethyl-9-methylene-1,4- methanoazulene	Skin Sens. 1B;H317- Asp. Tox. 1;H304- Aquatic Acute 1;H400;M=10- Aquatic Chronic 1;H410;M=10

[1] Substance classified with a health or environmental hazard.

[2] Substances for which Union workplace exposure limits have been assigned.

See section 16 for the full text of the Hazard statement codes declared above.

#### **SECTION 4: First aid measures**

4.1 Description of first aid measures

Consumption:	If swallowed, rinse mouth with water.
	Seek medical advice immediately and show this container or label.
	Keep the person at rest. Do NOT induce vomiting.
Eye contact:	Contact lenses should be removed. Hold eyelids open and flush with copious amounts of clean, fresh water and seek medical advice.
Inhalation:	Remove person to fresh air and keep at rest.
Skin contact:	Remove contaminated clothing. Wash skin with mild soap and water, rinse abundantly. If symptoms persist, obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed:

Read label before use. No additional information available.

4.3 Indication of any immediate medical attention and special treatment needed Not available.

## **SECTION 5: Firefighting measures**

5.1 Extinguishing media: Carbon dioxide, dry chemical powder or appropriate foam.

For safety reasons do not use full water jet.

- 5.2 Special hazards arising from the substance or mixture: Not applicable.
- 5.3 Advice for firefighters:

In case of fire in the surrounding area, follow the recommendations below:

- 1-Closed containers may build up pressure at elevated temperatures.
- 2-Avoid inhalation of fumes or vapours. Use appropriate respiratory protection.

3-Prevent run-off from fire fighting to enter drains or water courses.

#### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures:

Wear appropriate gloves to prevent skin exposure.

Avoid breathing vapours. Use a suitable respiratory apparatus if necessary. Avoid contact with eyes and skin.

Maintain adequate ventilation in the working area after spilling.



SAFETY DATA SHEET (according to Regulation (EC) No 1907/2006)

### MIKADO BLACK EDITION 125 ML - FOREST (CEDRO/ ABETO BLANCO)

6.2 Environmental precautions:

Avoid contaminating the environment via the sewers or water sources.

6.3 Methods and material for containment and cleaning up:

Cover with an inert, inorganic, non-combustible absorbent material (e.g. dry-lime, sand, soda ash).

Ventilate area and wash spill site after material pickup is complete.

Dispose of in accordance with current laws and regulations.

6.4 Reference to other sections: See also sections 8 and 13..

# **SECTION 7: Handling and storage**

- 7.1 Precautions for safe handling: Keep away from food, drink and animal feedingstuffs. Do not smoke. Avoid contact with skin and eyes. Handle in accordance with good industrial hygiene and safety practice.
- 7.2 Conditions for safe storage, including any incompatibilities:

Keep the product in its original container well sealed, in a dry and ventilated area, away from potential sources of ignition and protected from light. Store in accordance with local/national regulations and follow the warnings on the label.

Keep away from incompatible substances (see section 10).

7.3 Specific end use(s): Not available.

### **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

Occupational Exposure Limits:

	Spain		
Name of agent	Limit value - 8 hours	Limit value - Short term	Notation
(2-methoxymethylethoxy)propanol	308 mg/m³		Skin, VLI
European Union			
Name of agent	Limit value - 8 hours	Limit value - Short term	Notation
(2-methoxymethylethoxy)propanol	308 mg/m³		Skin

Derived no-effect level (DNEL): No data available

Predicted No Effect Concentration (PNEC): No data available

#### 8.2 Exposure controls

Personal protection equipment:	Appropriate personal protective equipment shall be worn in accordance
	with Regulation (EU) 2016/425.
Engineering Controls-Ventilation:	The areas where the product is handled and stored should be adequately
	ventilated.
Respiratory Protection:	Use personal breathing apparatus whenever deemed necessary.
Skin Protection:	Avoid contact with skin. Wear suitable gloves (EN 374).



SAFETY DATA SHEET (according to Regulation (EC) No 1907/2006)

# MIKADO BLACK EDITION 125 ML - FOREST (CEDRO/ ABETO BLANCO)

Eye/Face protection:

Chemical safety goggles are recommended. Wash contaminated goggles before reuse.

### **SECTION 9: Physical and chemical properties**

Information on basic physical and chemical properties	
Appearance:	
Colour:	
Odour:	
Odour threshold:	No data available
pH value:	No data available
Evaporation rate:	No data available
Melting point:	No data available
Boiling point:	
Flash point:	> 61 °C
Auto-ignition temperature:	No data available
Decomposition temperature:	No data available
Vapour pressure:	No data available
Vapour density:	No data available
Density:	No data available
Water solubility:	No data available
Partition coefficient: n-octanol/water:	No data available
Viscosity:	No data available
Kinematic viscosity:	No data available
Oxidising properties:	No data available
Explosive properties:	No data available
Lower explosive limit:	No data available
Upper explosive limit:	No data available
Other information:	
	Appearance:Colour:Odour:Odour threshold:pH value:Evaporation rate:Melting point:Boiling point:Flash point:Auto-ignition temperature:Decomposition temperature:Vapour pressure:Vapour density:Density:Partition coefficient: n-octanol/water:Viscosity:Kinematic viscosity:Oxidising properties:Explosive properties:Lower explosive limit:Upper explosive limit:

Not applicable.

### SECTION 10: Stability and reactivity

10.1 Reactivity:	Not available.
10.2 Chemical stability:	Stable under normal operating conditions.
10.3 Possibility of hazardous reactions:	
Hazardous Polymerization:	It does not undergo any dangerous reactions under normal conditions.
10.4 Conditions to avoid:	Heat, flames and other sources of ignition.
	Handle in accordance with good industrial hygiene and safety practice.
10.5 Incompatible materials:	Acids, Caustics, Strong Reducing Agents, Isocyanates, Nitrides, Organic Peroxides and Hydroperoxides, Epoxides



SAFETY DATA SHEET (according to Regulation (EC) No 1907/2006)

# MIKADO BLACK EDITION 125 ML - FOREST (CEDRO/ ABETO BLANCO)

10.6 Hazardous decomposition products:

Carbon monoxide and other unidentified organic compounds may be formed upon combustion.

**SECTION 11: Toxicological information** 

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008:

See also sections 2 and 3.

No toxicological information is available on the product itself.

Acute toxicity:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.
Skin corrosion/irritation:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.
Serious eye damage/irritation:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.
Respiratory or skin sensitisation:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.
Germ cell mutagenicity:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.
Carcinogenicity:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.
Reproductive toxicity:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.
STOT-single exposure:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.
STOT-repeated exposure:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.
Aspiration toxicity:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.

#### 11.2 Information on other hazards:

Endocrine disrupting properties.:

The product does not contain substances identified as having human health endocrine disrupting properties in a concentration equal to or greater than 0,1 % (w/w).

#### **SECTION 12: Ecological information**

12.1 Toxicity

Aquatic toxicity:

No ecotoxicological information is available on the product itself.



SAFETY DATA SHEET (according to Regulation (EC) No 1907/2006)

## MIKADO BLACK EDITION 125 ML - FOREST (CEDRO/ ABETO BLANCO)

	Short-term (acute) aquatic hazard:	This mixture does not meet the criteria for classification in accordance with Regulation (EC) No 1272/2008.
	Long-term (chronic) aquatic hazard:	This mixture meets the criteria for classification in accordance with Regulation (EC) No 1272/2008.
12.2 Pers	istence and degradability: Not ava	ilable.

- 12.3 Bioaccumulative potential: Not determined
- 12.4 Mobility in soil:

#### 12.5 Results of PBT and vPvB assessment:

The product does not contain substances identified as PBT and/or vPvB in a concentration equal to or greater than 0,1 % (w/w).

12.6\_ Endocrine disrupting properties.:

The product does not contain substances identified as having environmental endocrine disrupting properties in a concentration equal to or greater than 0,1 % (w/w).

12.7 Other adverse effects:

Not available.

Not available.

Do not allow the material to enter streams, sewers or other waterways.

### **SECTION 13: Disposal considerations**

13.1 Waste treatment methods Container disposal: Disposal conditions:

Do not reuse empty containers. Dispose of in accordance with all state and local environmental regulations. This material and its container must be disposed of in a safe way.

## **SECTION 14: Transport information**

#### International Carriage of Dangerous Goods by Road (ADR)

14.1 UN No.:	UN3082
14.2 Proper Shipping Name:	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Contains [3R-(3a,3aß,7ß,8aa)]-2,3,4,7,8,8a- hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene, pinene)
14.3 Class:	9
14.4 Packing Group:	III
14.6 Special precautions for user:	
Tunnel restriction code:	(-)
Label:	
Sea Transport (IMDG)	
14.1 UN No.:	UN3082
14.2 Proper Shipping Name:	Environmentally hazardous substance, liquid, n.o.s. (Contains [3] (3a,3aß,7ß,8aa)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H- 3a,7-methanoazulene, pinene)
14.3 Class:	9
14.4 Packing Group:	III
14.5 Marine Pollutant:	Yes
14.6 Special precautions for user:	



SAFETY DATA SHEET (according to Regulation (EC) No 1907/2006)

Not applicable

#### MIKADO BLACK EDITION 125 ML - FOREST (CEDRO/ ABETO BLANCO)

IMDG-Code segregation group:	
EmS:	

1	a	h	~	I٠.
. L	-a	D	e	I.

F-A,S-F Allh

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code:

### Air Transport (ICAO/IATA)

14.1	I INI	No ·
14.1	UIN	110

UN3082

Environmentally hazardous substance, liquid, n.o.s. (Mixture of 14.2 Proper Shipping Name: [3R-(3a,3aß,7ß,8aa)]-2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl 1H-3a,7-methanoazulene, pinene) 14.3 Class: 9 Ш 14.4 Packing Group: 14.6 Special precautions for user: ACCEPTED Passenger aircraft: Cargo aircraft: ACCEPTED Alb Label:

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

Substances of very high concern:

The product does not contain substances included in the Substances of Very High Concern list (> 0,1 % w/w).

15.2 Chemical safety assessment:

Not available.

#### **SECTION 16: Other information**

Text of hazard statement codes in section 3:

- H226: Flammable liquid and vapour.
- H228: Flammable solid.
- H304: May be fatal if swallowed and enters airways.
- H315: Causes skin irritation.
- H317: May cause an allergic skin reaction.
- H319: Causes serious eye irritation.
- H400: Very toxic to aquatic life.
- H410: Very toxic to aquatic life with long lasting effects.
- H411: Toxic to aquatic life with long lasting effects.
- H412: Harmful to aquatic life with long lasting effects.

Substances/mixtures for supply to, or use by, the general public. Key literature references and sources for data:



#### SAFETY DATA SHEET (according to Regulation (EC) No 1907/2006)

## MIKADO BLACK EDITION 125 ML - FOREST (CEDRO/ ABETO BLANCO)

- Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
- Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC.
- 3. Occupational Exposure Limits by the INSHT (Spanish National Institute of Safety and Hygiene at Work).

Replaces version:1 (02/02/2017) Reason for Change: First version.

Information in this SDS is from available published sources and is believed to be accurate. No warranty, express or implied, is made and our company assumes no liability resulting from the use of this SDS. This information is offered in good faith.Each user of this material needs to evaluate the conditions of use and design the appropriate protective mechanisms to prevent employee exposures, property damage or release to the environment and must determine suitability of this information for his application.